



2018

Votre Sélection

DÉMARREURS ET ALTERNATEURS










DÉMARREURS

CASE, CASE IH

Modèle	Référence	Tension (V)	Puissance (kW)	Entraxe (mm)	Photos
321, 431, 531	31543004	12	3	127	
523, 553, 554					
624, 644, 645, 654					
724, 734, 743, 744, 745					
824, 834, 844, 845, 856					
946, 955, 956					
1046, 1055, 1056, 1246, 1255, 1455					
353, 383					
423, 433, 440, 453					
533, 540					
633, 640					
733, 740					
833, 840					
940					
C50, C60	31543009	12	2.8	127	
CX50, CX60					
C55, C64, C70	31543002	12	3	127	
CS68, CS75, CS78, CS86, CS94					
C50, C60	31543016	12	3	127	
CX50, CX60					
C70, C80, C90	31543008	12	2.8	127	
CX70, CX80, CX90, CX100					
MX80C, MX90C, MX100C					
C70, C80, C90	31543013	12	3	127	
CX70, CX80, CX90, CX100					
MX80C, MX90C, MX100C					

DÉMARREURS

CLAAS

Modèle	Référence	Tension (V)	Puissance (kW)	Entraxe (mm)	Photos
Atles : 926, 936, 946	31543014	12	3	127	
Atles : 926, 936, 946	31543003	12	4	127	
Ares : 540, 550	31543015	12	3	105	
Ceres : 65, 75, 85, 95					
Cergos : 330, 340, 350					
Ergos : 85, 95, 105					
Mercator : 50, 60, 75	31543013	12	3	127	
Dominator : 58S, 68S, 78S, 85					
Axos : 310, 320, 330, 340					
Scorpion : 70.4T	31543014	12	3	127	
Ranger : 975	31543009	12	2.8	127	
Targo : K50, K70					
Ranger : 975	31543016	12	3	127	
Targo : K50, K70					




DÉMARREURS

DEUTZ



Modèle	Référence	Tension (V)	Puissance (kW)	Entraxe (mm)	Photos
3700S Vigneron	31543012	12	2.7	127	
AgroStar : 4.61, 4.71, 6.11, 6.21, 6.31, 6.61 AgroTron : 4.70, 4.80, 4.85, 4.90, 4.95 6.00/106, 6.05/110, 6.15/115, 6.20/120 6.30/135, 6.45/150, 80, 85, 90, 100, 105, 105MK3 106, 108, 110, 115, 115MK3, 118, 120, 128 135 140, 150, 155, 160, 165MK3, 175, 200 200MK3, 210, 230, 235, 260, 260MK3, 265 AgroTron TTV : 1130, 1145, 1160 AgroLux : 60, F60, 70, F70, 80, F80, 90 AgroPlus : 60, 70, 80, 75, 85, 95, 100 AgroSun : 100, 120, 140 Intrac : 6.60	31543014	12	4	127	
AgroTron : 80, 85, 90, 100, 105, 105MK3 106, 108, 110, 115MK3, 118, 120, 128, 135, 140, 150, 155, 160, 165MK3, 175, 200, 200MK3, 210, 230, 235, 260, 260MK3, 265 AgroTron TTV : 1130, 1145, 1160 AgroLux : 60, F60, 70, F70, 80, F80, 90 AgroPlus : 60, 70, 80, 75, 85, 95, 100 AgroSun : 100, 120, 140 Intrac : 6.60	31543003	12	4	127	
Agrovector : 35.7	31543014	12	3	127	
Agrovector : 35.7	31543003	12	4	127	
D4006, D4506, D5206, D5505, D5506 D6006, D6206, D6806 D7006, D7206, D7506 D8006, D9006, D10006, D13006 D4007, D4507, D4807 D5207, D6207, D6507 D6807, D6907, D7007 (>- 1980) D7207, D7807	31543012	12	2.7	127	

DÉMARREURS

DEUTZ




Modèle	Référence	Tension (V)	Puissance (kW)	Entraxe (mm)	Photos
AgroPrima 4.31, 4.51, 4.56, 6.06	31543012	12	2.7	127	
AgroXtra 3.57, 4.07, 4.17, 4.47, 4.57					
DX3 & 4 séries					
DX6 & 7 séries					
DX36, 50, 80, 85, 86, 90, 92, 110, 120					
M980, 1000, 1002, 1080, 1202	31543012	12	2.7	127	
M2385, 2480, 2580, 2680					
M980, 1000, 1002, 1080, 1202	31543014	12	3	127	
M2385, 2480, 2580, 2680					
M3330, 3360					
M3610, 3630, 3640					
M4065					
5680					
R40, R42, R50, R52					

FENDT





Modèle	Référence	Tension (V)	Puissance (kW)	Entraxe (mm)	Photos
250SA, 250VA, 260VA, 270V, 275VA, 280PA	31543012	12	2.7	127	
F231GT, 250GT, 275GT, 345GT					
360GT, 365GT, 380GT, 390GTA, 395GTA					
104, 104S > n° série 238/17000	31543002	12	3	127	
105, 105S > n° série 258/7000					
105LSA, 106S, 108S, 108LSA					
303LS, 303LSA, 304LS, 304LSA, 305LS					
305LSA, 306LS, 306LSA, 307LS, 307LSA					
308LS, 308LSA, 309LS, 309LSA, 310LS					
310LSA, 311LS, 311LSA, 312LS, 312LSA					
1(FW140), 2(FW150), 3S, 4, 10S, 11S, 12S					
509C, 510C, 511C, 512C, 514C, 515C					
610S, 610LS, 611LS, 612LS, 614LS, 615LS					
622, 624					

DÉMARREURS

FENDT

Modèle	Référence	Tension (V)	Puissance (kW)	Entraxe (mm)	Photos
203, 204, 204S, 205, 207F, 240S 250SA, 250VA, 260VA, 270V, 275VA, 280PA 296 F231GT, 250GT, 275GT, 345GT 360GT, 365GT, 380GT, 390GTA, 395GTA	31543014	12	3	127	
307, 307C, 308, 309, 409, 410, 411, 412 711, 712, 714, 716		12	3	127	
307, 307C, 308, 309, 409, 410, 411, 412 711, 712, 714, 716	31543003	12	4	127	
800 : 815 - 816 - 817 - 818 - 822 900: 916 - 920 - 924 - 926	31543011	12	4	127	

FIAT AGRI / FIAT SOMECA

Modèle	Référence	Tension (V)	Puissance (kW)	Entraxe (mm)	Photos		
M132	31543008	12	2.8	127			
M132	31543013	12	3	127			
400, 420, 446, 450, 460, 466, 470, 480 500, 540, 566, 570, S, 580 45-66, 50-66, 55-46, 55-66, 55-76 55-86, 55-88, 55-90 60-46, 60-66, 60-76, 60-86, 60-88, 60-90 60-93, 60-96, 92-86	31543006	12	2.7	146			
400, E, 488, 540, 580 550, 600, 640 (2nd type), 666, 670 680, 760, 766, 780, 880, 900, 1000 65-46, 65-66, 65-88, 65-90, 65-93, 65-94 70-66, 70-76, 70-86, 70-88, 70-90 72-86, 72-93, 72-94 80-66, 80-75, 80-76, 80-80, 80-88, 80-90 82-86, 82-93, 82-94 85-55, 85-90 88-80, 88-93, 88-94		31543000	12	3		146	


DÉMARREURS

JOHN DEERE





Modèle	Référence	Tension (V)	Puissance (kW)	Entraxe (mm)	Photos
300, 310, 310A, 310B, 310C	31543015	12	3	105	
315C					
400, 401, 401B, 401C, 401D					
410, 410A, 410D					
450A					
3100, 3200, 3300, 3400	31543015	12	3	105	
710, 2510					
820, 920, 1020, 1120, 2020, 2120, 2520					
3120, 5020, 5620, 5720, 5820					
830, 930, 1030, 1130, 1530, 1630, 1830					
2030, 2130, 3030, 3130					
840, 940, 1040, 1140, 1640, 1840, 2040					
2140, 2840, 2940, 3040, 3140, 3340, 3640					
1550, 1750, 1850, 1950, 2250, 2450					
2650, 2750, 2850, 2950					
3050, 3150, 3350, 3650					
1165, 1175					
2054, 2254, 3300, 4400, 4420					
4425, 4435					
MD 1032, 1042, 1052, 1072					
MD 1055, 1065, 1075, 1085					
MD 1068					
MD 330, 430, 530, 630, 930, 950					
MD 932, 942, 952, 970					
5403	31543015	12	3	105	
5605, 5705, 6405					
1445F, 1745F, 1845F, 2345F					
2355, 2555, 2755, 2855, 2955, 3055					
3155, 3255					
6100, 6200, 6300, 6400, 6500					
6010, 6110, 6210, 6310, 6410					
6020, 6120, 6220, 6320, 6420					
6500, 6600, 6800, 6900	31543007	12	3	127	
6506					
6510, 6610, 6810, 6910					
6520, 6620, 6820, 6920					

DÉMARREURS


LANDINI

Modèle	Référence	Tension	Puissance	Entraxe	Photos
		(V)	(kW)	(mm)	
1165, 1175	31543009	12	2.8	127	
Blizzard 1004.42 Eng					
Frutteto Cabineto 1004.42 Eng					
Frutteto Foot Step 1004.42 Eng					
Legend 105, 115, 145, 165					
Série 60, 80 1004.42 Eng					
Trekker 1004.42 Eng					
Vigneto Cabineto 1004.42 Eng					
Vigneto Foot Step 1004.42 Eng					

LAVERDA

Modèle	Référence	Tension	Puissance	Entraxe	Photos
		(V)	(kW)	(mm)	
550, 600, 640 1st type 880/5cyl (9/82 >)	31543005	12	3.1	146	
90-90, 100-90, 110-90, 115-90, 130-90 140-90, 160-90, 180-90					
980, 1180, 1280, 1380, 1580, 1880					
Winneur F100, 110, 115, 120, 130, 140, 170, 190					
L517					
M112, M132	31543000	12	3	146	
3300, 3350, 3400, 3450, 3500, 3550					
3600, 3650, 3750					
L521, L524, L624,	31543005	12	3.1	146	
3700, 3790, 3850, 3890					
Temis 610, 630, 650X/Z	31543005	12	3.1	146	

MANITOU

Modèle	Référence	Tension	Puissance	Entraxe	Photos
		(V)	(kW)	(mm)	
4RM26, 4RM30	31543010	12	3	127	
MB30					




DÉMARREURS

MASSEY FERGUSON




Modèle	Référence	Tension (V)	Puissance (kW)	Entraxe (mm)	Photos
244 3085, 3095, 3115, 3120, 3125, 3625, 3635 3645, 3655, 3670, 3680, 3690 6260, 6271, 6280, 6290 6410, 6510, 6710, 6810 8110, 8120 8130, 8140, 8150, 8160	31543009	12	2.8	127	
244 3085, 3095, 3115, 3120, 3125, 3625, 3635 3645, 3655, 3670, 3680, 3690 6260, 6271, 6280, 6290 6410, 6510, 6710, 6810 8110, 8120 8130, 8140, 8150, 8160	31543016	12	3		
2620, 2625, 2640, 2645, 2680, 2685 2720, 2725, 2820, 3080, 3090, 3610, 3630 3650	31543007	12	3	127	
2225, 3245, 3425, 3435, 3445, 3455 4200, 4225, 4235, 4240, 4245, 4255, 4260 4270 4345, 4355 6110, 6120, 6130, 6140, 6150 6245, 6255, 6265 6455	31543013	12	3	127	
5425, 5435, 5445, 5455, 5460 6270 6400 6465, 6470, 6475, 6480, 6485 7400 8210, 8220, 8240, 8250, 8260, 8270 8400	31543016	12	3		
8925, 8937, 8947	31543016	12	3		
8926	31543013	12	3	127	

DÉMARREURS

MASSEY FERGUSON

Modèle	Référence	Tension (V)	Puissance (kW)	Entraxe (mm)	Photos
MF11, 30, 30B	31543008	12	2.8	127	
MF50B, 50E, 50H, 50HX					
MF60H, 60HX					
MF3305					
MF6500H, 6800H					
MF11, 30, 30B	31543013	12	3	127	
MF50B, 50E, 50H, 50HX					
MF60H, 60HX					
MF3305					
MF6500H, 6800H					
MF165/III, 168, 174, 175, 178, 185 188, 194, 261, 265, 273, 274, 275, 283, 284 285, 290, 293, 294, 298 362, 365, 373, 374, 375, 377 383, 384, 387, 390, 393, 394, 397, 398 399, 565, 575, 590, 592, 595, 675, 690 695, 698, 699, 1014, 1080, 1114, 1134 1200, 1250, 3050, 3060, 3065, 3070, 3075 3330, 3340, 3350, 3355 3610	31543008	12	2.8	127	
MF165/III, 168, 174, 175, 178, 185 188, 194, 261, 265, 273, 274, 275, 283, 284 285, 290, 293, 294, 298 362, 365, 373, 374, 375, 377 383, 384, 387, 390, 393, 394, 397, 398 399, 565, 575, 590, 592, 595, 675, 690 695, 698, 699, 1014, 1080, 1114, 1134 1200, 1250, 3050, 3060, 3065, 3070, 3075 3330, 3340, 3350, 3355 3610					
MF165/III, 168, 174, 175, 178, 185 188, 194, 261, 265, 273, 274, 275, 283, 284 285, 290, 293, 294, 298 362, 365, 373, 374, 375, 377 383, 384, 387, 390, 393, 394, 397, 398 399, 565, 575, 590, 592, 595, 675, 690 695, 698, 699, 1014, 1080, 1114, 1134 1200, 1250, 3050, 3060, 3065, 3070, 3075 3330, 3340, 3350, 3355 3610					
MF165/III, 168, 174, 175, 178, 185 188, 194, 261, 265, 273, 274, 275, 283, 284 285, 290, 293, 294, 298 362, 365, 373, 374, 375, 377 383, 384, 387, 390, 393, 394, 397, 398 399, 565, 575, 590, 592, 595, 675, 690 695, 698, 699, 1014, 1080, 1114, 1134 1200, 1250, 3050, 3060, 3065, 3070, 3075 3330, 3340, 3350, 3355 3610					
MF165/III, 168, 174, 175, 178, 185 188, 194, 261, 265, 273, 274, 275, 283, 284 285, 290, 293, 294, 298 362, 365, 373, 374, 375, 377 383, 384, 387, 390, 393, 394, 397, 398 399, 565, 575, 590, 592, 595, 675, 690 695, 698, 699, 1014, 1080, 1114, 1134 1200, 1250, 3050, 3060, 3065, 3070, 3075 3330, 3340, 3350, 3355 3610					
MF165/III, 168, 174, 175, 178, 185 188, 194, 261, 265, 273, 274, 275, 283, 284 285, 290, 293, 294, 298 362, 365, 373, 374, 375, 377 383, 384, 387, 390, 393, 394, 397, 398 399, 565, 575, 590, 592, 595, 675, 690 695, 698, 699, 1014, 1080, 1114, 1134 1200, 1250, 3050, 3060, 3065, 3070, 3075 3330, 3340, 3350, 3355 3610					
MF165/III, 168, 174, 175, 178, 185 188, 194, 261, 265, 273, 274, 275, 283, 284 285, 290, 293, 294, 298 362, 365, 373, 374, 375, 377 383, 384, 387, 390, 393, 394, 397, 398 399, 565, 575, 590, 592, 595, 675, 690 695, 698, 699, 1014, 1080, 1114, 1134 1200, 1250, 3050, 3060, 3065, 3070, 3075 3330, 3340, 3350, 3355 3610					
MF165/III, 168, 174, 175, 178, 185 188, 194, 261, 265, 273, 274, 275, 283, 284 285, 290, 293, 294, 298 362, 365, 373, 374, 375, 377 383, 384, 387, 390, 393, 394, 397, 398 399, 565, 575, 590, 592, 595, 675, 690 695, 698, 699, 1014, 1080, 1114, 1134 1200, 1250, 3050, 3060, 3065, 3070, 3075 3330, 3340, 3350, 3355 3610					
MF165/III, 168, 174, 175, 178, 185 188, 194, 261, 265, 273, 274, 275, 283, 284 285, 290, 293, 294, 298 362, 365, 373, 374, 375, 377 383, 384, 387, 390, 393, 394, 397, 398 399, 565, 575, 590, 592, 595, 675, 690 695, 698, 699, 1014, 1080, 1114, 1134 1200, 1250, 3050, 3060, 3065, 3070, 3075 3330, 3340, 3350, 3355 3610					
MF165/III, 168, 174, 175, 178, 185 188, 194, 261, 265, 273, 274, 275, 283, 284 285, 290, 293, 294, 298 362, 365, 373, 374, 375, 377 383, 384, 387, 390, 393, 394, 397, 398 399, 565, 575, 590, 592, 595, 675, 690 695, 698, 699, 1014, 1080, 1114, 1134 1200, 1250, 3050, 3060, 3065, 3070, 3075 3330, 3340, 3350, 3355 3610					
MF165/III, 168, 174, 175, 178, 185 188, 194, 261, 265, 273, 274, 275, 283, 284 285, 290, 293, 294, 298 362, 365, 373, 374, 375, 377 383, 384, 387, 390, 393, 394, 397, 398 399, 565, 575, 590, 592, 595, 675, 690 695, 698, 699, 1014, 1080, 1114, 1134 1200, 1250, 3050, 3060, 3065, 3070, 3075 3330, 3340, 3350, 3355 3610					
MF165/III, 168, 174, 175, 178, 185 188, 194, 261, 265, 273, 274, 275, 283, 284 285, 290, 293, 294, 298 362, 365, 373, 374, 375, 377 383, 384, 387, 390, 393, 394, 397, 398 399, 565, 575, 590, 592, 595, 675, 690 695, 698, 699, 1014, 1080, 1114, 1134 1200, 1250, 3050, 3060, 3065, 3070, 3075 3330, 3340, 3350, 3355 3610					
MF165/III, 168, 174, 175, 178, 185 188, 194, 261, 265, 273, 274, 275, 283, 284 285, 290, 293, 294, 298 362, 365, 373, 374, 375, 377 383, 384, 387, 390, 393, 394, 397, 398 399, 565, 575, 590, 592, 595, 675, 690 695, 698, 699, 1014, 1080, 1114, 1134 1200, 1250, 3050, 3060, 3065, 3070, 3075 3330, 3340, 3350, 3355 3610					

NEW HOLLAND



Modèle	Référence	Tension (V)	Puissance (kW)	Entraxe (mm)	Photos
L60, L65, L75, L85, L95 TD75D, TD80D, TD85D, TD90D, TD95D TL70, TL80, TL90, TL100 TN65, TN75, TN75FA 4835, 5635, 6635, 7635	31543000	12	3	146	
L60, L65, L75, L85, L95 TD75D, TD80D, TD85D, TD90D, TD95D TL70, TL80, TL90, TL100 TN65, TN75, TN75FA 4835, 5635, 6635, 7635					
L60, L65, L75, L85, L95 TD75D, TD80D, TD85D, TD90D, TD95D TL70, TL80, TL90, TL100 TN65, TN75, TN75FA 4835, 5635, 6635, 7635					
L60, L65, L75, L85, L95 TD75D, TD80D, TD85D, TD90D, TD95D TL70, TL80, TL90, TL100 TN65, TN75, TN75FA 4835, 5635, 6635, 7635					
L60, L65, L75, L85, L95 TD75D, TD80D, TD85D, TD90D, TD95D TL70, TL80, TL90, TL100 TN65, TN75, TN75FA 4835, 5635, 6635, 7635					
8070	31543005	12	3.1	146	
G210, G240	31543005	12	3.1	146	

DÉMARREURS

RENAULT



Modèle	Référence	Tension (V)	Puissance (kW)	Entraxe (mm)	Photos
50-12, 55-12, 55-14, 70-12, 70-14 80-12, 80-14 Basso : 130, 140, 160 Dionis : 110, 120, 130, 140 Fructus : 110, 120, 130, 140 Pales : 210, 220, 230, 240	31543014	12	3	127	
75-12, 701-4F, 70-14, 70-32, 70-34 80-12, 80-14, 80-32, 80-34 Ceres 75	31543008	12	2.8	127	
75-12, 701-4F, 70-14, 70-32, 70-34	31543013	12	3	127	
106-14, 106-54, 113-12, 113-14, 145-14 155-54, 160-94, 175-74, 180-94 58-12, 58-14, 58-32, 58-34 61-12, 61-14, 65-12, 65-14, 65-32, 65-34 68-12, 68-14 75-12, 75-14, 75-32, 75-34, 77-12, 77-14 80-12, 80-14, 85-12, 85-14, 85-32, 85-34 90-32, 90-34, 95-12, 95-14	31543002	12	3	127	
Ares : 540, 550 Ceres : 65, 75, 85, 95 Cergos : 330, 340, 350 Ergos : 85, 95, 105	31543015	12	3	105	

STEYR

Modèle	Référence	Tension (V)	Puissance (kW)	Entraxe (mm)	Photos
955, 964, 968, 970 9078, 9083, 9086, 9094 M968, M975 M9078, M9083, M9086, M9094	31543002	12	3	127	
8100, 8110, 8120, 8130, 8140, 8150, 8170	264542	12	3	105	

DÉMARREURS


SAME

Modèle	Référence	Tension (V)	Puissance (kW)	Entraxe (mm)	Photos
Diamond : 215, 230, 230 II, 260, 260 II, 265	31543003	12	4	127	
Explorer : 85, 100, 110 série 3					
Iron : 100, 120, 130, 140, 150, 170, 175, 185, 210					
Antares : 100, 110, 130, 150	264542	12	3	105	
Dorado : 70, 75, 85, 86					
Explorer : 70, 80, 90, 95					
Frutteto : 75, 85					
Galaxy : 110					
Golden : 75, 85					
Kryton : 78, 80, 88, 90, 95, 98, 100, 105					
Lazer : 100, 110, 130, 150					
Rubin : 120, 135, 150, 160, 180, 200					
Silver : 80, 85, 90, 95, 100, 105, 110, 115, 130, 160, 180					
Tiger : 100					
Titan : 145 DT, 190 DT					
Trident : 130					
Vigneron : 75 DT					



ALTERNATEURS

BOBCAT









Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
Telescopic handlers : T40140	31543003	12	70	G 60°	

CASE, CASE IH

Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
380B	31544023	12	45	G 20°	
580F, 580G					
380B	31544003	12	70	G 60°	
580F, 580G					
433, 533, 633, 733, 833	31544008	12	34	D 60°	
440, 540, 640, 740, 840, 940					
480E, 480F, 480LL, <1988 550, 570LXT 580E, 580K w/BOSCH 580SE, SK 580L, SL, SM, 590CK, 590L 650, 680K, 680L 750, 780C, 780D, 850H	31544016	12	65	0°	
480E, 480F, 480LL, <1988 550, 570LXT 580E, 580K w/BOSCH 580SE, SK 580L, SL, SM, 590CK, 590L 650, 680K, 680L 750, 780C, 780D, 850H					
480E, 480F, 480LL, <1988 550, 570LXT 580E, 580K w/BOSCH 580SE, SK 580L, SL, SM, 590CK, 590L 650, 680K, 680L 750, 780C, 780D, 850H					
480E, 480F, 480LL, <1988 550, 570LXT 580E, 580K w/BOSCH 580SE, SK 580L, SL, SM, 590CK, 590L 650, 680K, 680L 750, 780C, 780D, 850H					
480E, 480F, 480LL, <1988 550, 570LXT 580E, 580K w/BOSCH 580SE, SK 580L, SL, SM, 590CK, 590L 650, 680K, 680L 750, 780C, 780D, 850H					
480E, 480F, 480LL, <1988 550, 570LXT 580E, 580K w/BOSCH 580SE, SK 580L, SL, SM, 590CK, 590L 650, 680K, 680L 750, 780C, 780D, 850H					
485, 495, 585, 595, 685, 695, 785, 795,	31544023	12	45	G 20°	
485, 495, 585, 595, 685, 695, 785, 795,					

ALTERNATEURS

CASE, CASE IH




Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
485, 495, 585, 595, 685, 695	31544003	12	70	G 60°	
785, 795, 885, 895, 995					
3210, 3220, 3230					
4210, 4220, 4230, 4240					
743, 743 XL	31544004	12	34	G 60°	
554, 644, 744, 844, 844 S					
645, 745 S, 955, 1055					
856, XL, 956, XL, 1056, XL					
1246, XL	31544007	12	65	G 60°	
743, XL, 745, XL					
844 S, 844, XL, 856, XL					
1255, XL, 1455, XL	31544002	12	65	G&D 60°	
745, 845, 1055, 1255, 1455, XL					
844, S, XL					
856, 946, 956, 1046, 1246, XL	31544001	12	65	0°	
2120, 2130, 2140, 2150					
2366	31544006	12	95	0°	
C50, 60, 70, 80, 90,	31544020	12	65	D 60°	
CX50, 60, 70, 80, 90, 100					
CS 68, 75, 78, 86, 94, 110, 120	31544016	12	65	0°	
CS 130, 150,					
CVT séries					
MX 80, 90, 100, 110, 120, 135,					
MX 150, 170,					
Maxxum 5120, 5130, 5140, 5150					

ALTERNATEURS

CASE, CASE IH








Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
CS 68, 75, 78, 86, 94, 110, 120	31544006	12	95	0°	
CS 130, 150					
CVT séries					
MX 80, 90, 100, 110, 120, 135					
MX 150, 170,					
Maxxum 5120, 5130, 5140, 5150					
JXU95	31544022	12	120	D 60°	
MXM120, 130, 140, 155, 175, 190					
MXU100, 110, 115, 125, 130, 135					
JX1070U, JX1080U, JX1090U	31544016	12	85	D 20°	
JX100U, JX110U					
Puma 165, 180, 195,	31544018	12	150	G 60°	
Puma 210 en 150Amps					

CLAAS

Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
Atlas 926, 936, 946	31544019	12	150	G 60°	
Dominator 68S, 78S, 85	31544011	12	65	0°	
Mercator 60, 75					
Jaguar 70 SF	31544002	12	65	G&D 60°	



ALTERNATEURS

CLAAS






Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
Mercator 50, 60, 75	31544013	12	34	0°	
Mercator 50, 60, 75	31544002	12	65	G&D 60°	
Dominator 38, 48, 58, 66, 68, 76, 78,					
85, 86, 88, 96, 98, 105, 108, 118,					
Mega 202					
Medion 310, 330, 340	31544018	12	150	G 60°	
Scorpion 6030 CP	31544010	12	95	G 60°	
Scorpion 70.4T	31544018	12	150	G 60°	
Ranger 925,	31544003	12	70	G 60°	
Targo	31544021	12	75	G 60°	

ALTERNATEURS

DAVID-BROWN

Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
885, 995	31544023	12	45	G 20°	
996					
1210, 1410, 1212, 1412					
990, 1190, 1290, 1390					
1194					
1180, 1490,	31544021	12	75	G 60°	
1194, 1294, 1394, 1494,					
1594, 1694,					

DEUTZ

Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
980, 1000, 1002, 1080, 1202	31544002	12	65	G&D 60°	
2385, 2480, 2580, 2680					
2385, 2480, 2580, 2680	31544010	12	95	G 60°	
4068	31544019	12	150	G 60°	
Agrolux 60, 70, 80, 90,	31544001	12	65	0°	
AgroPlus 60, 70, 80					
Agrotron : L720	31544018	12	150	G 60°	
M600, M610, M620					



ALTERNATEURS

DEUTZ





Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
Agrotron : 150	31544015	12	90	G 60°	
Agrotron : 6.05, 6.15, 6.20, 6.30, 6.45, K410, K420, K430, K610, TTV 166, AgroFarm : 85, 100, 410, 420, 430 DX6.31, 6.50, 7.10, 8.30A, 7110, 7120, 7145, Intrac : 6.30	31544010	12	95	G 60°	
Agrotron : 210, 230, 260, 265, K430, K610,	31544019	12	150	G 60°	
DX 4.50,4.51, 4.70, 6.05, 6.10, 6.30, DX 6.31, 6.50, 6.60, 6.71, 6.81, 7.10, AgroStar : 4.68, 4.78, 6.08, 6.28, 6.38 AgroXtra : 3.57, 4.07, 4.17, 4.47, 4.57 AgroXtra : 6.07, 6.17	31544024	12	55	G 60°	
D2505, 3005, 4005, 4505, 5005, 5505, 6005, 8005, 9005, D4506, 6206, 6806, 7206, D2807, 3607, 4007, 4507, 4807 D5207, 6207, 6507, 6807, D7007, 7207, 7807, Intrac : 2002, 2003, 2004	31544004	12	34	G 60°	
Agrovector : 35.7	31544018	12	150	G 60°	
D2505, 3005, 4005, 4505, 5005, 5505, 6005, 8005, 9005, D4506, 6206, 6806, 7206, D2807, 3607, 4007, 4507, 4807, D5207, 6207, 6507, 6807, D7007, 7207, 7807, Intrac : 2002, 2003, 2004	31544024	12	55	G 60°	

ALTERNATEURS

DEUTZ

Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
DX 36, 50, 80, 85, 86, 90, 92 110, 120, 140, 145, 160, 230, 250 3.10, 3.30, 3.50, 3.60, 3.65, 3.70 3.90, 4.10, 4.20, 4.30, 4.50 Intrac : 2003, 2004, 2005 6.30, 6.60 AgroCompact : 3.50, 3.90 AgroPrima : 3.30, 3.50, 4.11, 4.31, 4.36 4.51, 4.56, 6.06, 6.16 AgroStar : 4.61, 4.71, 6.11, 6.21, 6.28 6.31, 6.38, 6.61, 6.71, 6.81, 8.31	31544002	12	65	G&D 60°	
DX 4.50, 4.51, 4.70, 6.05, 6.10, 6.30 DX 6.31, 6.50, 6.60, 6.71, 6.81, 7.10 AgroStar : 4.68, 4.78, 6.08, 6.28, 6.38 AgroXtra : 3.57, 4.07, 4.17, 4.47, 4.57 AgroXtra : 6.07, 6.17	31544007	12	65	G 60°	

FENDT

Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
Farmer : 102, 103, 104, 105, 106 108 S, LS 200, 201, 203 S, V 204P, 240 S, 250 SA, VA 260 S, SA 275 VA, 280 S Favorit : 1, 2, 3, 4, 4 S, 10 S, 11 S, 12 S	31544008	12	34	D 60°	
Farmer : 102, 103, 104, 105, 106 108 S, LS 200, 201, 203 S, V 204P, 240 S, 250 SA, VA 260 S, SA 275 VA, 280 S Favorit : 1, 2, 3, 4, 4 S, 10 S, 11 S, 12 S	31544002	12	65	G&D 60°	
Farmer : 180, 200, 201, 203 S, P, V 204P, 250V	31544004	12V	34A	G 60°	
Farmer : 180, 200, 201, 203 S, P, V 204P, 250V	31544024	12	55	G 60°	

ALTERNATEURS

FENDT

Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
Farmer 304 LS, 305 LS, 306 LS 307 LS, 308 LS, 309 LS, 310 LS 311 LS, 312 LS	31544002	12	65	G&D 60°	
Favorit 509, 510, 511, 512, 514 600 LS, 611 LS, 612 LS, 614 LS 615 LS					
360 GT, 365 GT, 380 GT, 390 GT 395 GT					
Favorit 918 NA, 924 NA, 926 NA	31544015	12V	90	G 60°	
Vario 916, 920, 924, 926, 930,					
Farmer 308, 310, 311, 312, 409, 410, 411, 611	31544019	12	150	G 60°	
Favorit 509, 510, 511, 512, 514, 515, 711, 712, 714, 716, 816, 818, 824, 916, 918, 920, 924, 926					
Vario 815, 817, 818					
Farmer 611	31544018	12	150	G 60°	
Favorit 509, 510, 511, 512, 514, 515, 711, 712, 714, 716, 718, 816, 818, 824, 916, 918, 920, 924, 926					
Vario 410, 411, 412, 817, 818, 820 922, 924, 927, 930, 933, 936,					




ALTERNATEURS

FIAT AGRI / FIAT SOMECA

Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos					
3500, 3550, 3600, 3650, 3750	31544014	12	65	0°						
3790										
420, 440, 446, 450 DT, V, 465, 466, 470V, 480, 500 540, 566, 570 DT, F, V 640, 666, 670, 680, 766, DT 780, 880, 1000 S 55-46, 60-46, 65-46, 35-66, 45-66, 50-66, 55-66, 60-66, 65-66, 70-66, 80-66, 45-76, 55-76, 60-76, 80-76, 55-86, 60-86, 62-86, 70-86, 72-86,	31544000	12	34	D 33°						
55-65, 60-65, 70-65, 80-65, 55-75, 60-75, 70-75, 80-75, 465C, 565C, 605C, 765C, 805C, 855C, 955C,										
580, 680, 780										
60-86, 72-86, 82-86, 55-90, 60-90, 65-90, 70-90, 80-90,										
85-55, 95-55						31544014	12	65	0°	
880 5cyl, 980, 1180, 1280, 1380, 1580 1580 DT, 1880 45-46, 55-46, 65-46 55-65, 60-65, 70-65, 80-65 55-75, 60-75, 70-75, 80-75 566, 670, DT 70-88 90-90, 100-90, 110-90, 115-90, 130-90 140-90, 140-90 DT, 160-90, 160-90 DT 180-90 F 100, 110, 115, 120, 130, 140						31544014	12	65	0°	

ALTERNATEURS

FORD

Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
231, 233, 333, 335	31544023	12	45	G 20°	
420, 515					
455, 455C, 555B, 555C, 555D	31544003	12	70	G 60°	
555E, 575D, 575E					
655C, 655D, 655E, 675D, 675E					
642	31544023	12	45	G 20°	
2000, 3000, 4000, 5000, 6000, 7000, 8000, 9000, 4100, 8100, 7400, 4500, 8600, 9600, 5700, 6700, 7700, 8700, 2610, 2910, 3610, 3910, 4110, 4610, 5610, 6610, 6710, 7610, 7010, 7410, 7610, 7710, 7910, 8010, 8210	31544023	12	45	G 20°	
5110, 5610, 6410, 6610, 6810					
7610, 7710, 7810, 7910, 8110					
3230, 3430, 3930, 4130, 4630					
4830, 5030					
8530, 8630, 8730, 8830 TW15, 25, 35					
7610, 7710, 7910, 8010, 8210	31544021	12	75	G 60°	
7610, 7710, 7910, 8010, 8210	31544021	12	75	G 60°	
5060	31544022	12	120	D 60°	
8160, 8260, 8360, 8560					

ALTERNATEURS

JOHN DEERE

Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
544G, 624G, 644G	31544006	12	95	0°	
820, 920, 1020, 1120, 2020, 2120 3120	31544013	12	34	0°	
830, 930, 1030, 1130, 1630, 2030 2130, 3030, 3130					
940, 1040, 1140, 1640, 1840, 2040					
1550, 2054, 2064, 2066, 2254, 2264, 2266, 4435,					
9400, 9410, 9450, 9500, 9510, 9550, 9560, 9600, 9610, 9650, 9660, 9750, 9860, CTS, CTS II, SH9510	31544006	12	95	0°	
4430	31544011	12	65	0°	
940, 1040, 1140, 1640, 2040, 2140, 2240, 2940, 3040, 3140, 3640,					
1550, 1750, 1850, 1950, 2250, 2450, 3050, 3350, 3650, 3100, 3200, 3300, 3400,					
6205, 6505					
6010, 6110, 6210, 6310, 6410, 6510 6610, 6810, 6910					
5620, 5720, 5820, 6020, 6220 6320, 6420, 6520, 6620, 6820, 6920 8320	31544015	12	90	G 60°	
6130, 6230, 6330, 6430, 6534 6630, 6830, 6930					
6205, 6505					
6010, 6110, 6210, 6310, 6410, 6510, 6610, 6810, 6910, 5620, 5720, 5820, 6020, 6220, 6320, 6420, 6520, 6620, 6820, 6920 8320					
6130, 6230, 6330, 6430, 6534, 6630, 6830, 6930,					
7600, 7610, 7700, 7710, 7800, 7810 8100, 8110, 8200, 8210, 8300, 8310 8400	31544018	12	150	G 60°	
9200, 9300, 9400					
7600, 7610, 7700, 7710, 7800, 7810 8100, 8110, 8200, 8210, 8300, 8310 8400					
9200, 9300, 9400					
7600, 7610, 7700, 7710, 7800, 7810 8100, 8110, 8200, 8210, 8300, 8310 8400	31544025	12	140	0°	
9200, 9300, 9400					
7600, 7610, 7700, 7710, 7800, 7810 8100, 8110, 8200, 8210, 8300, 8310 8400					
9200, 9300, 9400					


ALTERNATEURS

LAMBORGHINI


Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
235, 345, (85 >) 483, 503, 553, 603, 653, 683, (85 >) 654, 684, 754, 784, 854 1056DT, 1156DT, 1256DT, 1356DT C 362, C 553, C 554 R 483, R 513, R 583, R 613, R 714 R 724, R 765, R 845, R 955	31544000	12	34	D 33°	
483 C 362, 453, 533 R 235, 483, 513	31544013	12	34	0°	
503	31544008	12	34	D 60°	
503DT, 583, 603 704, 804, 904	31544004	12	34	G 60°	
Agile 660, 770, 880, 990, 850, 880, 950, 990, 1050, 1060, C 674-70, 774-80, 874-90, C 90-100, C95-105, CF 78, 88, 98, CF 80, 90, 100, Crono 55, 70, Crono 554-50, 554-55, 564-60, Crono 564-65, 574-70, 574-75, Cross 574-60, 674-70, Grand prix 75, 95 Target Grimper 555, 560, 570, Plus 55, 70, 75, 90, 100, Plus 660, 775, 880, 990, Premium 850, 950 Premium 1050, 1060, 1056DT, 1156DT, 1256DT, 1356DT,	31544014	12	65	0°	
Champion 120, 135, 150, Champion 160, 180, 200,	31544018	12	150	G 60°	

ALTERNATEURS


LAMBORGHINI

Modèle	Référence	Tension	Puissance	Entraxe	Photos
		(V)	(A)		
Formula 115, 135	31544001	12	65	0°	
Racing 165, 190					
956, 1106, 1306, 1506, 1556, 1706					

LANDINI

Modèle	Référence	Tension	Puissance	Entraxe	Photos
		(V)	(A)		
5000, 5560, 5830, 5840, 5860 6000, 6040, 6060, 6070 6500, 6550, 6560, 6860, 6870, 6880 7500, 7560, 7860, 7880, 8500, 8530 8550, 8560, 8830, 8860, 8880 9080, 9500, 9880 10000, 12500, 13000, 14500 Atlantis : 100 Atlas : 70, 80, 90, 100 Blizzard : 75 Frutteto 80, 90, 100 Globus : 55, 65, 75, 80 TOP Legend : 145 Power Farm : 60, 75, 85, 95, 105 Rex : 60, 65, 70, 80, 90, 100	31544003	12	70	G 60°	
5600, 6840, 7830, 8550					

LAVERDA

Modèle	Référence	Tension	Puissance	Entraxe	Photos
		(V)	(A)		
2050, 3550, 3650, 3750, 3790, 3850	31544014	12	65	0°	
L 521, L 521H, L 624, L 624H					

ALTERNATEURS

MANITOU

Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
425C MB30NP MC 30, 40, 50, 60T, 70T MLA 627, 628 Manuscopic MLT 523, 524, 526, 527, 626, 628 MLT632, 633, LS, MLT730-120 LS MLT728 Manuscopic MSI 40, 50 MT1232, 1233, 1240, 1337, 1530, 1535 MT425, CP MT928 M 26.2, 26.4, 30.2, 30.4, 40.4, 50.4 MA 460, 470	31544003	12	70	G 60°	
MC25N	31544004	12V	34A	G 60°	
MB21C, MB26NF	31544023	12	45	G 20°	
MC20C					
MB25, MB26J, MB30N	31544008	12	34	D 60°	
MT830, MT930, MT1030	31544016	12	65	0°	
MT830, MT930, MT1030	31544006	12	95	0°	

ALTERNATEURS

MASSEY FERGUSON

Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
32, 34, 38, 620, 625	31544003	12	70	G 60°	
154, 174, 174S, 273, 274, 283, 284, 294, 365, 383, 698T	31544020	12	65	D 60°	
164 S, 174 S, 254 350, 355, 360, 362, 364, 365, 374 375, 390, 398, 399, 698, 699 3085, 3095, 3115, 3120, 3125, 3255 3630, 3635, 3645, 3655, 3670, 3680 3690, 4215, 4220, 4225, 4235, 4240 4245, 4255, 4260, 4265, 4270, 4355 6110, 6120, 6130, 6140, 6150, 6160 6170, 6180, 6190, 6235, 6245, 6255 6260, 6265, 6270, 6280, 6290 8110, 8120, 8130, 8140, 8150, 8160 8210	31544003	12	70	G 60°	
350, 355, 360, 365, 375, 390, 398, 399, 520, 525, 698, 699, 1100, 1104, 1114, 4500, 9500, 12500,	31544023	12	45	G 20°	
6235, 6245, 6255, 6445, 6465, 6475, 6480, 6485, 6495, 7465, 7475, 7480, 8220, 8250, 6485, 6490, 6497	31544022	12	120	D 60°	
7480, 7485, 7490, 7495, 8450, 8460 8470, 8480	31544018	12	150	G 60°	
8925, 8926, 8937, 8939	31544003	12	70	G 60°	



ALTERNATEURS

MASSEY FERGUSON







Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
MF 25, 40E, 234C, 294C, 294S,	31544003	12	70	G 60°	
MF 20C, 20U, 30B, 30U, 40U, 50U, 4000, 4500, 6000, 6500	31544005	12	34	0°	
MF 35, 50, 65 130, 135, 145, 148, 152, 155, 158, 165, 168, 175, 178, 185, 188, 194, 230, 235 240, 245, 250, 255, 260, 265, 273, 274, 275, 283, 284, 285, 290, 293, 294, 298, 365, 373, 374, 375, 377, 383, 384, 387, 390, 393, 394, 397, 398, 399, 565, 575, 590, 595, 675, 690, 698, 1014, 1080, 1114, 1134, 2620, 2625, 2640, 2645, 2675, 2680, 2685, 2705, 2720, 2725, 2885, 3050, 3060, 3065, 3070, 3080, 3090, 3505, 3525, 3545, 3610, 3630, 3650	31544005	12V	34A	0°	
MF 35, 50, 65, 130, 135, 148, 152, 155, 165, 168, 175, 178, 185, 188, 194, 230, 235, 240, 245, 250, 255, 260, 265, 273, 274, 275, 283, 284, 285, 290, 293, 294, 298, 365, 373, 374, 375, 377, 383, 384, 387, 390, 393, 394, 397, 398, 399, 565, 575, 590, 595, 675, 690, 698, 1014, 1080, 2620, 2625, 2640, 2645, 2675, 2680, 2685, 2705, 2720, 2725, 2885, 3050, 3060, 3065, 3070, 3075, 3080 3090, 3505, 3525, 3545, 3610, 3630, 3650 6110, 6120, 6130, 6140, 6150, 6160, 6170, 6180, 6190	31544009	12V	70A	0°	
MF50D, MF50HX MF860,	31544020	12V	65A	D 60°	

ALTERNATEURS

MC CORMICK



Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
F60 sans cabine	31544021	12	75	G 60°	
V 60, V 65, V 70, V 80,					
MC 80, 90, 100, 115,	31544006	12	95	0°	
MTX 110, 125, 140, 155, 175, 200					

NEW HOLLAND

Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
8030, 8040, 8050, 8060, 8070, 8080	31544002	12	65	G&D 60°	
F 100, 110, 115, 120, 130, 140	31544001	12	65	0°	
L 60, 65, 75, 85, 95					
LM410, LM430 télescopique					
M 100, 115, 135, 160	31544022	12	120	D 60°	
TS 80, 90, 100, 110, 115					
TM 115, 125, 135, 150, 165					
TV 140					
TF42, TF44,	31544021	12	75	G 60°	
8040, 8050, 8055, 8060, 8070, 8080					
TL 60, 70, 80, 90, 100	31544001	12	65	0°	
4635, 4835, 5635, 6635, 7635					
TL80, TL100, >97	31544016	12	85	D 20°	
TN-A Séries					

ALTERNATEURS

NEW HOLLAND

Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
TX 30, 32, 34, 36 2405	31544022	12	120	D	
TX32, TX34	31544011	12	65	0°	
TX34	31544006	12	95	0°	
TX34	31544016	12	65	0°	
T6010, T6020, T6030, T6040, T6050 T6060, T6070, T6080 TM 115, 120, 125, 130, 135, 140, 150 155, 165, 175, 190 TSA100, TSA115	31544022	12	120	D 60°	
T7030, T7040, T7050, T7060 TG210, TG230	31544018	12	150	G 60°	

ALTERNATEURS

RENAULT AGRI

Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
50-12 LB, 50-12 V, 55-12 L, 55-12 LB	31544000	12	34	D 33°	
55-12 V, 55-14 LB, 55-14 V					
70-12 F, 70-12 LB, 70-12 V, 70-14 F					
70-14 LB, 70-14 V					
80-12 F, 80-12 V, 80-14 F, 80-14 LB					
80-14 V					
Moteur / Engine : Deutz					
80-34 PA, PE, PS, PX	31544003	12	70	G 60°	
Ceres 75, 75 X					
103-12 RE, 103-14 RE	31544009	12	70	0°	
103-54 TX					
106-54 TL, TM					
110-14 RE, TX, 110-54					
113-12 RE, 113-14 RE					
120-14 RE, 133-14 RE					
155-54 TA, TE, TX, TZ					
160-94 TZ, 180-94 TZ					
35-34 MA, ME, MS, MX					
58-12 LS, 58-14 LS					
58-32, 58-34 MA, ME, MS, MX					
65-12 LS, 65-14 LS					
65-32 MA, ME, MS, MX					
68-14, 70-14 TX					
750 MI					
75-12, 75-14 LS, RA, RS, TS					
75-32, 75-34 MA, ME, MS, MX					
754 MI, 800 M, 804 M, 850 MI					
80-12 TX, 80-14 TX, 85-12 LS					
R321-4, R451-4, R481-4	31544004	12	34	G 60°	
R571-4, R581-4					
R601-4	31544020	12	65	D 60°	
701-4 F					




ALTERNATEURS

SAME





Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
Antares : 150 Argon : 55, 65, 75 F Buffalo : 130 Centaurus : 70 spécial Centurion : 75 Dorado : 55, 65, 75, 85 Dorado : 56, 66, 76, 86 Drago : 70 spécial 120 Export Explorer : 55, 65, 75, 85 Frutetto : 55, 70, 90, 100 Galaxy : 170 Golden : 60, 65, 75, 85 Hercule : 160 Jaguar : 100 Krypton : 80, 90, 95, 100, 105 Krypton : F 78, 80, 88, 90, 98, 100 Leopard : 85 Export, 90 Turbo Mercury : 85 Minitaurus : 95 Panther : 90 Rock : 55, 60, 70	31544001	12	65	0°	
Antares : 100, 110, 130 Argon : 50, 60, 70, Aster 60, 70 Dorado : 60, 70 Explorer : 60, 70, 80, 90 Frutetto : 60, 75, 85 2RM Golden : 60, 65, 75, 85 Laser : 90, 100, 110, 130, 150 Silver : 80, 90, 100 Solar : 50, 55, 60 Titan : 145 Vigeneron : 62, 70, 75	31544014	12	65	0°	
Aurora : 45, Condor : C, Corsaro : 70 Delphino : 35 Drago : 100 Falcon, Fox : 35, 45, 50, 55 Minitauro : 46, 60 Ranger : 45, Sirenitta Vigeneron : 35, 45, 50, 60	31544013	12	34	0°	
Buffalo 130 Centaurus 70 Centurion 55, 70, 75 Condor 55, Corsaro frutteto 70 Crop 85 Delphino 35 Drago 120 Falcon 85 Jaguar 95, 100 Leopard 85, 90, C Mercury 85 special Minitaurus 60 Panther 90, 95 Ranger 45 Solar 50, 55 C, 60 Taurus 60 C, Tiger 100, six 105 Trident 130	31544000	12	34	D 33°	

ALTERNATEURS

SAME




Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
Diamond : 215, 230, 230 II, 260, 260 II Diamond : 265 Iron : 115 Iron : 130 à partir de 2008 Iron : 140, 150 Continuo : 160 Iron : 170 continuo, 190 continuo, 210 Rubin : 120, 135, 150 160, 180, 200	31544018	12	150	G 60°	
Iron : 130,	31544015	12	90	G 60°	
Iron : 100, 110, 120, 130S, 140S, Iron : 150.7, 150S, 160.7, 165S, 175S, Iron : 180.7, 190S, 200,	31544010	12	95	G 60°	

STEYR


Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
950, 960, 970, 980, 988, 1100, 1108, 1200 8055, 8060, 8065, 8070, 8075, 8080, 8090, 8095, 8100, 8110, 8120, 8130, 8140, 8150, 8160, 8170, 9094	31544002	12	65	G&D 60°	
8055, 8060 T, 8065, 8070, 8075, 8080, 8090, 8095, 8100, 8110, 8120, 8130, 8140, 8150, 8160, 8165, 8170	31544007	12	65	G 60°	
9078 M, 9086 M, 9094 M, 9105, 9115, 9125, 9145	31544016	12	65	0°	
9078 M, 9086 M, 9094 M, 9105, 9115, 9125, 9145	31544006	12	95	0°	

ALTERNATEURS

VALTRA (VALMET)

Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
600, 700	31544016	12	65	0°	
600	31544021	12	75	G 60°	
355, 365, 455, 465, 505, 565, 655					
665, 705, 805, 865, 900, 905					
1394, 1594, 1694					
6000, 6100, 6200, 6300, 6400, 6600					
6800, 8000, 8050, 8100, 8150					
8400, 8450					
C15, C20, C100, C200	31544018	12	150	G 60°	
N122, N142,					
T132, T152, T162, T172, T182, T202					
S230, S240, S260, S280					

VALTRA (VALMET)

Modèle	Référence	Tension (V)	Puissance (A)	Entraxe	Photos
8045, 8145, 9145, 10145, 10245	31544002	12	65	G&D 60°	
12145, 12245, 14145, 16145, 16245					
8011, 8111, 9111, 10111, 12111					

FOURNIAL - Route de Saint-Malo - ZA de Beaucé - FR - 35520 LA MEZIÈRE



contact@groupe-sterenn.com



+ 33 (0)2 99 13 05 00



+ 33 (0)2 99 13 05 19/29

www.sterennco.com